RT Series Respirator
This respirator is approved only in the following configurations:

Bullard
Cynthiana, KY 41031 USA
1-800-827-0423

National Institute for Occupational Safety and Health

NIOSH

TC -	PROTECTION1	MODEL	ALTERNATE HOOD A SSEMBLIES				ALTERNATE BREATHING TUBES		ALTERNATE FLOW CONTROL DEVICES																																									
		RT SERIES HOODS	RT1	RT2	RT3	RT4	20BT	RTBT	HC240031	HC240032	HC240030	HC240030B	HC240030S	HC240033	HC240034	AC100031	AC100032	AC100030	AC100030B	AC100030S	AC100033	AC100034	F35S	F35B	F35	F34	F33	F32	F31	F30S	F30B	F30	F40	F40B	F40S	F41	F42	F43	F44	DC5044	DC5043	DC5042	DC5041	DC5040S	DC5040B	DC5040	FRIGITRON2000S	FRIGITRON2000B	FRIGITRON2000
19C-412	SA/ CF	RT	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

TC -	ALTERNATE AIR SUPPLY HOSES																																									ACCESSORIES				CAUTIONS/ LIMITATIONS2
	V52532	V52530GREEN	V52530	V52531	V55032	V55030	V55031	V55030GRN	V52533	V52533FS	V52533FF	V55033GRN	V55033FS	V5KF5033XXXFS	V5KF5033XXXFF	V5KF2533XXXFS	V5KF2533XXXFF	V5KF5035XXX	V5KF5033XXX	V5KF5032XXX	V5KF5031XXX	V5KF5030XXX	V5KF2535XXX	V5KF2533XXX	V5KF2532XXX	V5KF2531XXX	V5KF2530XXX	4696	46913	46915	46916FS	46916FF	46917	46917FF	46917FM	5457	5454	54510	54511	V2050ST	V20100ST	HS	36501	DC70ML	DC70XLXXL	
19C-412	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	ABCDE- JMNOS

[1] PROTECTION

CF=CONTINUOUS FLOW
SA=SUPPLIED-AIR

[2] CAUTIONS AND LIMITATIONS

A. Not for use in atmosphere containing less than 19.5 percent oxygen.
B. Not for use in atmospheres immediately dangerous to life or health.
C. Do not exceed maximum use concentrations established by regulatory standards.
D. Air-line respirators can be used only when the respirators are supplied with respirable air meeting the requirements of CGA G-7.1 Grade D or higher quality.
E. Use only the pressure ranges and hose lengths specified in the User's Instructions.
J. Failure to properly use and maintain this product could result in injury or death.
M. All approved respirators shall be selected, fitted, used and maintained in accordance with MSHA, OSHA and other applicable regulations.
N. Never substitute, modify, add or omit parts. Use only exact replacement parts in the configuration specified by the manufacturer.
O. Refer to User's Instructions, and/or maintenance manuals for information on use and maintenance of these respirators.
S. Special or critical User's Instructions and/or specific use limitations apply. Refer to User's Instructions before donning.