



RT3 and RT4 Series Hoods Bid Specifications

Respirator Type	Continuous flow airline respirator for use with compressed or ambient air
Components	<ul style="list-style-type: none">• Respirator Hood• Breathing Tube with Fitting or Optional Climate Control Assembly• Breathing Air Supply Hose
Approvals	<ul style="list-style-type: none">• NIOSH Approved Type C, Continuous Flow Class (Approval No. TC-19C-412)• ANSI Z87.1-2009 Basic Impact
Specific Features	<ul style="list-style-type: none">• 1,000 Assigned Protection Factor (APF), independent third party testing documentation available.• Made in the USA• One piece filtration and CO monitor available for compressed air• NIOSH approved with 10 different quick disconnect couplers.
Hood	<ul style="list-style-type: none">• No fit test required• NIOSH approved unique Headband-free design.• Patented over-the-top air delivery system delivers air to the users breathing zone and directs it across the lens to prevent fogging.• Sport neck cuff made from a soft nylon material• Made out of Tychem[®] QC (RT3) or Tychem[®] SL (Saranex[®])(RT4)• RT4 comes with standard sealed and taped seams.• 20" long outer bib• Independent front and rear inner bibs• Large Panoramic lens size - approx. 135 sq in• Lens thickness of .02"• Chemically resistant Acetate lens• Optional disposable breathing tube• Optional adhesive-edged Mylar[®] Lens Covers.• NIOSH Approved for use as a component of a PAPR
Optional Climate Control (Compressed Air Only)	<ul style="list-style-type: none">• Climate control assembly (HC2400) available to cool or warm incoming air up to 30 degrees.• NIOSH approved Cool Tubes capable of supplying up to 30 degrees cooler air to the worker.• Cool tube constructed of metal
Breathing Tube Assembly	<ul style="list-style-type: none">• Offers two belt choices – Nylon or Vinyl• Offers 3 different breathing tube covers made of Tychem[®] QC, Tychem[®] SL or clear Poly.• Approved and available with constant flow control device with 1/2" Industrial Interchange (Hansen compatible) quick disconnect coupler for ambient air pumps.• Approved and available with constant flow control device with 9, 1/4" quick disconnect coupler for compressed air pumps.<ul style="list-style-type: none">- Industrial Interchange (Hansen Compatible) in steel, brass or stainless steel- Snap-Tite in steel, brass or stainless steel- Schrader- CEJN- Bayonet

Airline Supply Hose

- NIOSH approved for use with 25-300 feet of airline supply hose for compressed air
- NIOSH approved for use with 50-300 feet of airline supply hose for ambient air pumps
- Choice of neoprene reinforced rubber 3/8" I.D. hose or nylon coiled hose for compressed air, 1/2" ID hose for ambient air pumps
- Manufactured specifically to carry breathing air
- Offers 1/2" industrial interchange (Hansen compatible) nipple for ambient air pumps
- Offers 9, 1/4" approved quick disconnect couplers compatible with breathing tube fittings for compressed air
 - Industrial Interchange (Hansen Compatible) in steel, brass or stainless steel
 - Snap-Tite in steel, brass or stainless steel
 - Schrader
 - CEJN
 - Bayonet

Warranty

1 year limited manufacturer warranty for original purchaser from date of purchase

Americas:**E.D. Bullard Company**

1898 Safety Way
Cynthiana, KY 41031-9303
Toll free: 877-BULLARD (285-5273)
Tel: 859-234-6616
Fax: 859-234-8987
www.bullard.com

Europe:**Bullard GmbH**

Lilienthalstrasse 12
53424 Remagen • Germany
Tel: +49-2642 999980
Fax : +49-2642 9999829
www.bullardextrem.com

Asia-Pacific:**Bullard Asia Pacific Pte. Ltd.**

LHK Building
701, Sims Drive, #04-03
Singapore 387383
Tel: +65-6745-0556
Fax: +65-6745-5176
www.bullard.com

